

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name : Professional® Water Sealant (Original Formulation)  
Product form : Mixture

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture : Water Repellent  
Other information : For professional use only

**1.3. Details of the supplier of the safety data sheet**

4456 S. Clifton  
Wichita, Kansas 67216  
1-800-676-7346

**1.4. Emergency telephone number**

Emergency number : CHEMTREC: 1-800-424-9300

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GHS-US classification**

Flam. Liq. 3 H226  
Skin Sens. 1 H317  
Asp. Tox 1 H304

*This product also contains more than 0.1% of a component that has been found to be classified as a Carcinogen 2 according to CLP Annex VI (EC No 1272/2008)*

**2.2. Label elements****GHS-US labelling**

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

**Danger**

Hazard statements (GHS-US) :

H226 - Flammable liquid and vapour  
H304 - May be fatal if swallowed and enters airways  
H317 - May cause an allergic skin reaction

Precautionary statements (GHS-US) :

P210 - Keep away from heat, open flames, sparks, hot surfaces. - No smoking  
P233 - Keep container tightly closed  
P240 - Ground/bond container and receiving equipment  
P241 - Use explosion-proof electrical equipment  
P242 - Use only non-sparking tools  
P243 - Take precautionary measures against static discharge  
P261 - Avoid breathing fume, mist, spray, vapours  
P272 - Contaminated work clothing must not be allowed out of the workplace  
P280 - Wear eye protection, protective gloves, protective clothing  
P301+P310 - IF SWALLOWED: Immediately call a doctor, a poison center  
P302+P352 - If on skin: Wash with plenty of soap and water  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
P321 - Specific treatment (see first aid instructions on this label)  
P331 - Do NOT induce vomiting  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
P362+P364 - Take off contaminated clothing and wash it before reuse  
P370+P378 - In case of fire: Use carbon dioxide (CO<sub>2</sub>), dry extinguishing powder, dry sand, foam to extinguish  
P403+P235 - Store in a well-ventilated place. Keep cool  
P405 - Store locked up  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

**2.3. Other hazards**

No additional information available

**2.4. Unknown acute toxicity (GHS-US)**

No data available

# Professional® Water Sealant (Original Formulation)

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

| Name                                   | Product identifier  | %        |
|--|---------------------|----------|
| Naphtha, petroleum, hydrotreated heavy | (CAS No) 64742-48-9 | 60 – 100 |
| Proprietary ingredient 1               | Proprietary*        | 0.1 - 1  |
| Proprietary ingredient 2               | Proprietary*        | 0.1 - 1  |

\*In accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200), the specific chemical identity has been withheld as a trade secret

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person.
- First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention. If breathing is difficult, supply oxygen. If breathing has stopped, give artificial respiration.
- First-aid measures after skin contact : IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation develops or persists, get medical attention.
- First-aid measures after eye contact : IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. If pain, blinking, or irritation develops or persists, get medical attention. Continue rinsing.
- First-aid measures after ingestion : IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : May cause an allergic skin reaction. May be fatal if swallowed and enters airways.
- Symptoms/injuries after inhalation : May cause respiratory irritation. May be fatal if swallowed and enters airways.
- Symptoms/injuries after skin contact : May cause an allergic skin reaction.
- Symptoms/injuries after eye contact : Direct contact with the eyes is likely to be irritating.
- Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. May cause gastrointestinal irritation.
- Chronic symptoms : Skin sensitization.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Carbon dioxide. Dry powder. Water spray. Sand.
- Unsuitable extinguishing media : None known.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Combustible liquid. May be ignited by heat, sparks or flames.
- Explosion hazard : Product is not explosive.
- Reactivity : No dangerous reactions known under normal conditions of use.

#### 5.3. Advice for firefighters

- Precautionary measures fire : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Evacuate area. Ventilate area. Keep upwind. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

##### 6.1.1. For non-emergency personnel

- Protective equipment : Wear Protective equipment as described in Section 8.
- Emergency procedures : Evacuate unnecessary personnel.

# Professional® Water Sealant (Original Formulation)

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. This material and its container must be disposed of in a safe way, and as per local legislation.

### 6.4. Reference to other sections

See Sections 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from sources of ignition - No smoking. Do not handle until all safety precautions have been read and understood. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep the container tightly closed. Store in a dry, cool and well-ventilated place. Keep away from ignition sources.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| Proprietary ingredient 1                            |                      |
|---|----------------------|
| Remark (ACGIH)                                      | OELs not established |
| Remark (OSHA)                                       | OELs not established |
| Naphtha, petroleum, hydrotreated heavy (64742-48-9) |                      |
| Remark (ACGIH)                                      | OELs not established |
| Remark (OSHA)                                       | OELs not established |
| Proprietary ingredient 2                            |                      |
| ACGIH TWA (ppm)                                     | 50                   |
| ACGIH STEL (ppm)                                    | 100                  |
| OSHA PEL (TWA) (mg/m <sup>3</sup> )                 | 525                  |
| OSHA PEL (TWA) (ppm)                                | 100                  |

### 8.2. Exposure controls

Appropriate engineering controls : Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment : Gloves. Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory protection.



Hand protection : Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Suitable gloves for this specific application can be recommended by the glove supplier.

Eye protection : Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid or airborne particles.

Skin and body protection : Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.

# Professional® Water Sealant (Original Formulation)

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection : Wear a NIOSH-approved (or equivalent) full-facepiece airline respirator in the positive pressure mode with emergency escape provisions. In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment with gas filter (type A2). Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Color : Clear. Colorless.  
Odor : Petroleum-like odour.  
Odor Threshold : No data available  
pH : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point : No data available  
Freezing point : No data available  
Boiling point : 160 - 187 °C (320-369 °F)  
Flash point : 41 °C (105 °F)  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability (solid, gas) : No data available  
Vapour pressure : 2.7 mm Hg (20 °C)  
Relative vapour density at 20 °C : 4.83  
Relative density : 0.792  
Solubility : No data available  
Log Pow : No data available  
Log Kow : No data available  
Viscosity, kinematic : No data available  
Viscosity, dynamic : No data available  
Explosive properties : No data available  
Oxidising properties : No data available  
Explosive limits : 1.1 – 5.0 vol %

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Ignition sources. Open flame. elevated temperatures.

#### 10.5. Incompatible materials

Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>).

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

| Proprietary ingredient 1   |            |
|----------------------------|------------|
| LD50 oral rat              | 930 mg/kg  |
| LD50 dermal rabbit         | 0.2 mg/kg  |
| LC50 inhalation rat (mg/l) | 20 mg/l/4h |

# Professional® Water Sealant (Original Formulation)

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |  |
|--|--|
| <b>Naphtha, petroleum, hydrotreated heavy (64742-48-9)</b> |  |
| LD50 oral rat  | > 5000 mg/kg   |
| LD50 dermal rabbit   | > 3160 mg/kg   |
| <b>Proprietary ingredient 2</b>                            |  |
| LD50 oral rat  | > 1600 mg/kg   |
| Skin corrosion/irritation                                  | : Not classified   |
| Serious eye damage/irritation                              | : Not classified   |
| Respiratory or skin sensitisation                          | : May cause an allergic skin reaction.   |
| Germ cell mutagenicity                                     | : Not classified.  |
| Carcinogenicity  | : Not classified.  |
| Reproductive toxicity                                      | : Not classified   |
| Specific target organ toxicity (single exposure)           | : Not classified   |
| Specific target organ toxicity (repeated exposure)         | : Not classified   |
| Aspiration hazard  | : May be fatal if swallowed and enters airways.  |
| Symptoms/injuries after inhalation                         | : May cause respiratory irritation. May be fatal if swallowed and enters airways.      |
| Symptoms/injuries after skin contact                       | : May cause an allergic skin reaction.   |
| Symptoms/injuries after eye contact                        | : Direct contact with the eyes is likely to be irritating.                             |
| Symptoms/injuries after ingestion                          | : May be fatal if swallowed and enters airways. May cause gastrointestinal irritation. |
| Chronic symptoms   | : Skin sensitization.  |

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : No information available.

### 12.2. Persistence and degradability

#### Professional® Water Sealant (Original Formulation)

Persistence and degradability : No information available.

### 12.3. Bioaccumulative potential

#### Professional® Water Sealant (Original Formulation)

Bioaccumulative potential : No information available.

### 12.4. Mobility in soil

#### Professional® Water Sealant (Original Formulation)

Ecology - soil : No information available.

### 12.5. Other adverse effects

Other adverse effects : No data available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

Additional information : Applicable EPA RCRA Codes: D001 Naphtha.

## SECTION 14: Transport information

### In accordance with DOT

Not hazardous for transport

### Transport by sea

UN-No. (IMDG) : UN1268 Petroleum distillates, n.o.s.  
Proper Shipping Name (IMDG) : (Contains: naphtha, petroleum hydrotreated heavy)  
Class (IMDG) : 3 - Flammable liquids  
Packing group (IMDG) : III - substances presenting low danger

### Air transport

UN-No.(IATA) : UN1268 Petroleum distillates, n.o.s.

# Professional® Water Sealant (Original Formulation)

## Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (IATA) : (Contains: naphtha, petroleum, hydrotreated heavy)  
Class (IATA) : 3 - Flammable Liquids  
Packing group (IATA) : III - Minor Danger

### Additional information

Other information : No supplementary information available.

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Professional® Water Sealant (Original Formulation)

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory

|                                     |   |
|-------------------------------------|---|
| SARA Section 311/312 Hazard Classes | Fire Hazard<br>Immediate (acute) health hazard<br>Delayed (chronic) health hazard |
|-------------------------------------|---|

#### n-Amyl acetate (628-63-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on United States SARA Section 313

|  |         |
|--|---------|
| RQ (Reportable quantity, section 304 of EPA's List of Lists) : | 5000 lb |
|--|---------|

#### Acetic anhydride (108-24-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

|  |         |
|--|---------|
| RQ (Reportable quantity, section 304 of EPA's List of Lists) : | 5000 lb |
|--|---------|

### 15.2. International regulations

No additional information available.

### 15.3. US State regulations

THIS PRODUCT IS NOT INTENDED FOR SALE IN THE STATE OF CALIFORNIA.

#### Silica, amorphous (7631-86-9)

U.S. - New Jersey - Right to Know Hazardous Substance List


U.S. - Massachusetts - Right To Know List

U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

Indication of changes : Revision 1.0: New SDS Created.  
Revision date : 02/19/2015  
Other information : Author: C.JS.

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.  
NFPA fire hazard : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.  
NFPA reactivity : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



### HMIS III Rating

Health : 2\*  
Flammability : 2  
Physical : 1  
Personal Protection :

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product